



TO SPREAD SMART HYGIENIC WASHROOM CULTURE ALWAYS AND ALL WAYS SVAVO—Smart Hygiene Products Manufacturer

SVAVO CATALOGUE Hygiene Solutions

SHENZHEN SVAVO INTELLIGENT TECHNOLOGY CO., LTD

ADD: No.4 Factory, Xinwu Industrial Estate, Shabo Community, Maluan Street, Pingshan District, Shenzhen, China

TEL: +86-755-89928983 23483660

FAX: +86-755-89928986 Http://en.svavo.cn/ E-mail: rw@svavo.cn













Intelligent Safe Clean Convenient



CONTENTS

Automatic Soap Dispensers	01
Manual Soap Dispensers	15
Auto Perfume Dispensers	28
Tissue Dispensers	37
Hand Dryers	48
Hair Dryers	54
Sensor Faucets	57
Sensor Toilet Flushers	62
Grab Bars	67

SPREAD SMART HYGIENIC WASHROOM CULTURE, WE ALWAYS TRYING SVAVO—Smart Hygiene Products Manufacturer

SVAVO, as a brand, has completed registration all over the world including North America, Europe, and Asia to prime the *brand globalization procedure*. Meanwhile, SVAVO has also worked on a setup of global network. In domestic market, SVAVO has gained a certain market share from Offline to Online, *from B2B to B2C*. In overseas market, SVAVO has over 16 years of professional and extraordinary experience, no matter *traditional foreign trade or cross border e-commerce*, SVAVO tries hard to spread intelligent hygiene culture and forms a globalized market layout.


SVAVO continues to develop innovative production technology and always seeks for a technological breakthrough. **R&D capabilities** are valued as the most competitive core advantage and armed with cutting-edge machine, such as 3D printer and gear measuring projector, the R&D team is able to provide the latest solutions for product design, precise mould tooling and electronic technology.

Shenzhen SVAVO Intelligent Technology Co.,Ltd., founded in **2003**, is headquartered in Shenzhen,covering a land area of **15000** square meters. Incorporated with **Shenzhen SVAVO Bathroom Products Co., Ltd., SVAVO Intelligent Technology (Hong Kong) Ltd.,** and **Shenzhen Jacaband Plastic Products Co., Ltd.,**SVAVO has become a large-scale and one of the most professional manufacturers of intelligent hygienic solutions in China, integrating R&D,manufacturing,sales and service in-house. SVAVO has been certificated as **National High-tech Enterprises** and has passed **ISO9001:2015, BSCI, C-TPAT.**

SVAVO has more than 600 employees including more than 120 sales and service staff in domestic and international department; 28 professional exhibition halls and offices, directly serving more than 3000 agencies and distributors.







Automatic Soap Dispensers



MODEL: V-370



Unit Size: L80*W125*H183mm

Unit Size: L80*W125*H183mm
Unit Weight: 305g
Volume: 280ml
Material: ABS,PETG
Sensing Method: infrared reflection
Sensing Distance: 0-7cm
Power Supply: 4x"AAA" batteries
Packing: 12pcs/ctn

Carton Size: 455*340*211mm

Body Color





MODEL: V-473



Unit Size: L84*W110*H240mm Volume: 350ml Volume: 350ml
Working Voltage: DC6V
Working Current: 480mA
Standby Current: 200uA
Sensing Distance: 0-8cm
Power Supply: 4x"AAA" batteries
Packing: 12pcs/ctn
Carton Size: 408*310*265mm

Body Color







MODEL: V-476



Unit Size: L81*W138*H223mm

Volume: 200ml


Volume: 200ml
Working Voltage: DC6V
Working Current: 300mA
Standby Current: 60uA
Sensing Distance: 2-10cm
Power Supply: 4x"AAA" batteries
Packing: 12pcs/ctn
Carton Size: 500*335*258mm





Silver





MODEL: V-480D



Unit Size: L170*W120*H210mm Volume: 750ml Working Voltage: DC6V Working Current: 200mA Standby Current: 480mA Sensing Distance: 0-8cm Power Supply: 4x"AA" batteries/power adaptor Packing: 18pcs/ctn

Carton Size: 573*408*458mm











(LCD DISPLAY)

MODEL: V-470



Unit Size: L155*W85*H220mm Volume: 500ml Working Voltage: DC6V
Working Current: 300mA
Standby Current: 400mA
Sensing Distance: 0-7cm
Power Supply: 4 "AA" batteries Packing: 32pcs/ctn Carton Size: 628*368*478mm

Body Color



MODEL: V-472

MODEL: V-455



Unit Size: L150*W86*H215mm Volume: 450ml Working Voltage: DC6V Working Current: 320mA Standby Current: 60uA
Sensing Distance: 0-8cm
Power Supply: 4 "AAA" batteries Packing: 32pcs/ctn Carton Size: 620*380*448mm

Body Color



Non-refillable



Unit Size: L110*W90*H185mm Volume: 220ml Working Voltage: DC6V Working Current: 250mA Standby Current: 60uA Sensing Distance: 0-8cm Power Supply: 4 "AA" batteries Packing: 6pcs/ctn Carton Size: 370*305*198mm

Body Color




White



Nickel

Silver





Unit Size: L150*W108*H259mm Volume: 1300ml Working Voltage: DC6V Working Current: 160mA Standby Current: 60uA Sensing Distance: 0-12cm Power Supply: 4x"D" batteries Packing: 18pcs/ctn Carton Size: 700*483*282mm

Body Color



White Ir





MODEL: V-410





Unit Size: L110*W100*H165mm Volume: 600ml Working Voltage: DC6V Working Current: 120mA Standby Current: <60uA Sensing Distance: 0-10cm Power Supply: 4 "AA" batteries Packing: 24pcs/ctn Carton Size: 420*360*375mm

Body Color







Black

MODEL: V-420





Unit Size: L155*W130*H130mm Volume: 700ml Working Voltage: DC6V Working Current: 250mA Standby Current: 50uA Sensing Distance: 0-8cm Power Supply: 4 "AA" batteries Packing: 36pcs/ctn Carton Size: 495*441*568mm

MODEL: V-220





Unit Size: L110*W128*H132mm Volume: 600ml Working Voltage: DC6V Working Current: 120mA Standby Current: 50uA Sensing Distance: 0-8cm Power Supply: 4 "AA" batteries Packing: 30pcs/ctn Carton Size: 630*423*308mm

MODEL: V-450





Unit Size: L105*W90*H240mm Volume: 750ml Working Voltage: DC6V Working Current: 250mA Standby Current: 60uA Sensing Distance: 0-10cm Power Supply: 4 "AA" batteries Packing: 32pcs/ctn Carton Size: 460*420*508mm

MODEL: V-130S





Unit Size: L185*W140*H195mm Volume: 700ml Power Supply: 4 "AA" batteries Packing: 24pcs/ctn Carton Size: 680*405*395mm

MODEL: V-120S





Unit Size: L205*W140*H230mm Volume: 600ml Power Supply: 4 "AA" batteries Packing: 24pcs/ctn Carton Size: 648*578*358mm

MODEL: V-130





Unit Size: L185*W140*H95mm Volume: 700ml Working Voltage: DC6V Working Current: 200mA Standby Current: 600uA Sensing Distance: 0-8cm Power Supply: 4 "AA" batteries Packing: 24pcs/ctn Carton Size: 572*397*320mm

MODEL: V-120





Unit Size: L205*W140*H98mm Volume: 600ml Working Voltage: DC6V Working Current: 120mA Standby Current: 60uA Sensing Distance: 0-8cm Power Supply: 4 "AA" batteries Packing: 24pcs/ctn Carton Size: 620*441*350mm





AUTO

AUTOMATIC SOAP DISPENSER • FOAM SOAP DISPENSER

Minimalism attracts the visual focus. The refining design lines are also represented on the creative foam faucet combining with Svavo induction faucet, which makes everything in perfect order.



1.Precise Bubbler

Patented research and development of bubbler, smooth fluid, rich and delicate foam, giving you an extraordinary smooth experience

2. Working Indicator

The blue shimmer indicator revealing from the inside to the outside, with a sense of future advanced technology

3.Anti-interference infrared sensing

Advanced infrared sensing device, anti-glare interference design, sensitive, accurate and durable

4. Multilayer plating process

The metal luster created by the fine craftsmanship can withstand the test of time, waterproof, easy to clean and wearable

5.Air Pump

High quality piston material, stable air pressure, quiet working and durable

6.Precision Imported Chip

Using the original American chip, as the control center of the product, it can work stably for a long time, and the quality is excellent and reliable

MODEL: V-SEN3010

Liquid / Foam





Unit Size: L151*W49*H86mm Volume: 2000ml Working Voltage: AC100-240V 50/60Hz Sensing Distance(adjustable): 5-15cm Liquid Duration Time(adjustable): 0.5-3.5s Liquid Amount(adjustable): 1-4ml Power Supply: power adaptor Packing: 2pcs/ctn Carton Size: 420*325*370mm









MODEL: V-SEN3020

Liquid / Foam





Volume: 2000ml/Customized Working Voltage: AC100-240V 50/60Hz Sensing Distance(adjustable): 5-15cm Liquid Duration Time(adjustable): 0.5-3.5s Liquid Amount(adjustable): 1-4ml Power Supply: power adaptor

Packing: 2pcs/ctn Carton Size: 420*325*370mm






Customized:

Face Recognition Paper Dispenser/Soap Dispenser






Face Recognition Soap Dispenser



MODEL: V-SEN3085






Unit Size: L141*W40*H130mm Volume: 1000ml Working Voltage: AC100-240V 50/60Hz Sensing Distance(adjustable): 2-14cm Liquid Duration Time(adjustable): 0.5-3.5s Liquid Amount(adjustable): 1-4ml

Power Supply: 4 "AA" batteries/power adaptor Packing: 8pcs/ctn Carton Size: 415*335*410mm


MODEL: V-SEN3075








Power Supply: 4 "AA" batteries/power adaptor Packing: 8pcs/ctn Carton Size: 415*335*410mm

















MODEL: VX687

Unit Size: L113*W130*H217mm Volume: 600ml

Packing: 30pcs/ctn Carton Size: 625*435*470mm







MODEL: VX690

Unit Size: L113*W130*H217mm Volume: 600ml Packing: 30pcs/ctn Carton Size: 625*435*470mm







Unit Size: L85*W110*H210mm Volume: 700ml Packing: 30pcs/ctn Carton Size: 460*372*454mm

MODEL: VX-686



Unit Size: L91*W105*H266mm Volume: 500ml Packing: 30pcs/ctn Carton Size: 520*363*564mm

Body Color



White & Brushed Chrome

White

Grey

Brushed Chrome

MODEL: V-4201



Unit Size: L63*W85*H147mm Volume: 250ml Packing: 75pcs/ctn Carton Size: 420*345*479mm

Body Color



Chrome

MODEL: VX-686-2



Unit Size: L190*W105*H266mm Volume: 500ml*2 Packing: 18pcs/ctn

Carton Size: 618*363*564mm

Body Color



White & **Brushed Chrome**



Brushed

MODEL: V-4301



Unit Size: L77*W84*H181mm Volume: 400ml Packing: 60pcs/ctn Carton Size: 415*376*584mm

Body Color



MODEL: VX-686-3



Unit Size: L283*W105*H266mm Volume: 500ml*3 Packing: 12pcs/ctn Carton Size: 595*365*575mm



White & **Brushed Chrome**





MODEL: V-7101





Unit Size: L110*W106*H165mm Volume: 700ml

Packing: 40pcs/ctn

Carton Size: 560*476*370mm

Body Color





Clarity Brown

MODEL: V-4701





Unit Size: L77*W67*H148mm Volume: 200ml Packing: 60pcs/ctn Carton Size: 513*380*324mm

Body Color





Chrome

MODEL: V-8121





Unit Size: L74*W102*H198mm Volume: 480ml Packing: 50pcs/ctn Carton Size: 520*405*425mm

Body Color





Clarity Brown



Chrome& Clarity Brown

MODEL: V-4701-2





Unit Size: L160*W67*H148mm Volume: 200ml*2 Packing: 30pcs/ctn Carton Size: 513*380*324mm

Body Color





White

MODEL: V-8122





Unit Size: L150*W102*H198mm Volume: 480ml*2 Packing: 30pcs/ctn Carton Size: 520*486*425mm







Chrome& Clarity Brown











Unit Size: L80*W80*H180mm Volume: 400ml Packing: 50pcs/ctn Carton Size: 455*425*398mm

Body Color





MODEL: V-5101

MODEL: V-5102





Unit Size: L88*W85*H165mm Volume: 350ml Packing: 50pcs/ctn Carton Size: 495*495*364mm

Body Color





MODEL: V-9102





Unit Size: L160*W80*H180mm Volume: 400ml*2 Packing: 24pcs/ctn Carton Size: 547*339*398mm

Body Color







Unit Size: L178*W85*H165mm Volume: 350ml*2 Packing: 36pcs/ctn Carton Size: 573*400*539mm

Body Color





White

Chrome

MODEL: V-9121





Unit Size: L80*W90*H185mm Volume: 400ml Packing: 50pcs/ctn Carton Size: 470*435*418mm

Body Color





MODEL: V-9122





Unit Size: L162*W90*H185mm Volume: 400ml*2 Packing: 24pcs/ctn Carton Size: 565*345*418mm











Unit Size: L88*W85*H165mm Volume: 350ml

Packing: 50pcs/ctn

Carton Size: 495*495*364mm

Body Color





MODEL: V-8101





Unit Size: L68*W92*H195mm Volume: 500ml

Packing: 50pcs/ctn

Carton Size: 520*395*418mm

Body Color





Chrome

MODEL: V-6102





Unit Size: L180*W85*H165mm Volume: 350ml*2 Packing: 36pcs/ctn

Carton Size: 573*400*539mm

Body Color





MODEL: V-8102





Unit Size: L140*W92*H195mm

Volume: 500ml*2 Packing: 30pcs/ctn Carton Size: 520*468*418mm

Body Color





MODEL: V-6103





Unit Size: L264*W85*H165mm Volume: 350ml*3 Packing: 24pcs/ctn Carton Size: 555*565*378mm

Body Color





MODEL: V-8103



Unit Size: L210*W92*H195mm Volume: 500ml*3 Packing: 20pcs/ctn Carton Size: 520*468*418mm





MODEL: V-4401





Unit Size: L134*W82*H184mm Volume: 400ml*2 Packing: 36pcs/ctn Carton Size: 426*360*584mm

Body Color





MODEL: V-730



Only Work with Disposable Pouch

Unit Size: L125*W93*H270mm Volume: 1000ml Packing: 32pcs/ctn Carton Size: 540*412*568mm



MODEL: V-4401S





Unit Size: L115*W67*H147mm Volume: 250ml*2 Packing: 60pcs/ctn Carton Size: 492*425*482mm

Body Color





MODEL: V-2101





Unit Size: L90*W90*H220mm Volume: 400ml Packing: 24pcs/ctn Carton Size: 595*400*245mm

MODEL: V-710





Unit Size: L125*W95*H240mm Volume: 950ml Packing: 24pcs/ctn Carton Size: 444*408*514mm

MODEL: V-3101





Unit Size: L130*W105*H260mm Volume: 1700ml Packing: 15pcs/ctn Carton Size: 645*438*295mm







Unit Size: L95*W90*H270mm Volume: 400ml Packing: 24pcs/ctn Carton Size: 625*420*290mm

MODEL: V-102






Unit Size: L155*W90*H270mm Volume: 400ml*2 Packing: 12pcs/ctn Carton Size: 625*335*290mm

MODEL: V-103





Unit Size: L195*W90*H270mm Volume: 400ml*3 Packing: 12pcs/ctn Carton Size: 625*425*290mm









Unit Size: L86*W83*H238mm Working Voltage: DC6V Working Current: 500mA Standby Current: 15uA

Working Method: day/night/24hrs Power Supply: 2 "D" size batteries/2"AA"size batteries

Packing: 32pcs/ctn

Carton Size: 392*380*508mm

MODEL: VX485





Unit Size: L86*W83*H238mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA

Working Method: day/night/24hrs Power Supply: 2 "D" size batteries

Packing: 32pcs/ctn

Carton Size: 395*385*520mm

Body Color







White & Brushed Chrome

Brushed Chrome

LCD Display

MODEL: V-880D LCD Display





Unit Size: L86*W83*H238mm Working Voltage: DC3V Working Current: 500mA Standby Current: 10uA

Working Method: multiple settings

Power Supply: 2 "D" size batteries/2"AA"size batteries

Packing: 32pcs/ctn

Carton Size: 392*380*508mm

MODEL: VX485D





Unit Size: L86*W83*H238mm Working Voltage: DC3V Working Current: 500mA

Standby Current: 15uA Working Method: multiple settings

Power Supply: 2 "D" size batteries Packing: 32pcs/ctn

Carton Size: 395*385*520mm

Body Color



White & Brushed Chrome



Grey



Brushed

Remote Control

Remote Control MODEL: V-880R





Unit Size: L86*W83*H238mm Working Voltage: DC3V Working Current: 500mA Standby Current: 300uA Working Method: multiple settings

Power Supply: 2 "D" size batteries/2"AA"size batteries

Packing: 32pcs/ctn

Carton Size: 392*380*508mm

MODEL: VX485R





Unit Size: L86*W83*H238mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA Working Method: multiple settings

Power Supply: 2 "D" size batteries

Packing: 32pcs/ctn Carton Size: 395*385*520mm

Body Color



Brushed Chrome

Brushed

Chrome







Unit Size: L90*W85*H205mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA

Working Method: day/night/24hrs Power Supply: 2 "AA" batteries

Packing: 36pcs/ctn

Carton Size: 565*303*438mm

MODEL: V-850





Unit Size: L115*W85*H210mm Working Voltage: DC3V Working Current: 200mA Standby Current: 15uA

Working Method: day/night/24hrs Power Supply: 2 "AA" batteries Packing: 32pcs/ctn

Carton Size: 488*396*450mm

MODEL: V-740





Unit Size: L90*W85*H205mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "AA" batteries Packing: 36pcs/ctn Carton Size: 565*303*438mm MODEL: V-860





Unit Size: L115*W85*H210mm Working Voltage: DC3V Working Current: 200mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "AA" batteries

Packing: 32pcs/ctn

Carton Size: 488*396*450mm

MODEL: V-840





Unit Size: L85*W90*H210mm Working Voltage: DC3V Working Current: 200mA Standby Current: 10uA Working Method: multiple settings Power Supply: 2 "AA" batteries Packing: 36pcs/ctn Carton Size: 565*288*488mm MODEL: V-870





Unit Size: L92*W82*H252mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "D" size batteries Packing: 32pcs/ctn

Carton Size: 400*360*528mm

31



MODEL: V-870R Romote Control





Unit Size: L92*W82*H252mm Working Voltage: DC3V Working Current: 500mA Standby Current: 300uA

Working Method: multiple settings+remote control

Power Supply: 2 "D" size batteries

Packing: 32pcs/ctn

Carton Size: 400*360*528mm

MODEL: V-EP710





Unit Size: L89*W78*H190mm Working Voltage: DC3V Working Current: 200mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "D" size batteries

Packing: 50pcs/ctn Carton Size: 505* 430*414mm

MODEL: V-871





Unit Size: L92*W82*H252mm Working Voltage: DC3V Working Current: 500mA Standby Current: 300uA Working Method: day/night/24hrs Power Supply: 2 "D" size batteries Packing: 32pcs/ctn

Carton Size: 400*360*528mm

MODEL: V-EP711





Unit Size: L85*W78*H224mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "D" size batteries Packing: 50pcs/ctn Carton Size: 480*430*478mm

MODEL: V-250 LCD Display





Unit Size: L92*W81*H235mm Working Voltage: DC3V Working Current: 500mA Standby Current: 10uA Working Method: multiple settings Power Supply: 2 "D" size batteries Packing: 32pcs/ctn Carton Size: 408*364*498mm

olay MODEL: V-251





Unit Size: L92*W81*H235mm Working Voltage: DC3V Working Current: 200mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "D" size batteries Packing: 32pcs/ctn Carton Size: 408*364*498mm



MODEL: V-EP713 LCD Display





Unit Size: L88*W78*H239mm Working Voltage: DC3V Working Current: 500mA Standby Current: 10uA Working Method: multiple settings Power Supply: 2 "AA" batteries Packing: 36pcs/ctn Carton Size: 529*300*508mm

MODEL: V-141





Unit Size: L120*W90*H205mm Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA Working Method: day/night/24hrs Power Supply: 2 "D" size batteries Packing: 30pcs/ctn Carton Size: 500*393*448mm


MODEL: V-140





Unit Size: L120*W90*H205mm Working Method: day/night/24hrs Working Voltage: DC3V Working Current: 500mA Standby Current: 15uA Power Supply: 2 "D" size batteries Packing: 30pcs/ctn Carton Size: 500*393*448mm

Model: V-300 Air Freshener





Unit Size: L65*W30*H160mm Volume: 300ml Spray Times: 2800 sprays





MODEL: VX786 Hand Paper Holder



Unit Size: L275*W105*H206mm Packing: 24pcs/ctn Carton Size: 870*463*450mm

Body Color







White & Blushed Chrome

Dark Grey

Clarity Brown & White

MODEL: V-600

Hand Paper Holder



Unit Size: L251*W90*H205mm Packing: 28pcs/ctn Carton Size: 690*539*448mm

Body Color





White

Clarity

MODEL: V-620

Hand Paper Holder



Unit Size: L273*W97*H203mm Packing: 24pcs/ctn Carton Size: 667*581*444mm

Body Color





White

Clarity Brown



Hand Paper Holder MODEL: V-TH15

Unit Size: L273*W97*H203mm Packing: 16pcs/ctn Carton Size: 581*448*438mm

Body Color





White

MODEL: V-630 Hand Paper Holder

Unit Size: L270*W85*H375mm Packing: 12pcs/ctn Carton Size: 655*579*393mm

Body Color



White



Clarity Brown

MODEL: V-TH12

SVAVO

Hand Paper Holder

Unit Size: L275*W100*H207mm Packing: 16pcs/ctn Carton Size: 581*448*438mm

Body Color





Clarity Brown

MODEL: V-610-1

Jumbo Roll Tissue Dipsenser

Unit Size: L260*W140*H280mm Packing: 12pcs/ctn

Carton Size: 565*444*608mm

Body Color





White & Blue

MODEL: V-TH13

SVAVO

Unit Size: L275*W100*H375mm Packing: 12pcs/ctn

Carton Size: 655*579*393mm





MODEL: V-TH10

Jumbo Roll Tissue Dipsenser

Unit Size: L265*W123*H265mm Packing: 16pcs/ctn Carton Size: 565*540*568mm

Body Color





Clarity Brown

Hand Paper Holder



Clarity Brown



Hand Paper Holder

MODEL: V-TH16 Jumbo Roll Tissue Dipsenser

Unit Size: L270*W125*H280mm Packing: 16pcs/ctn Carton Size: 565*540*568mm

(Body Color





MODEL: V-940C

SVAVO

Unit Size: L145*W137*H280mm Packing: 24pcs/ctn

Carton Size: 620*605*446mm

Body Color





ite Clarity Brown

MODEL: V-610

SVAVO

Jumbo Roll Tissue Dipsenser

Unit Size: L270*W125*H280mm Packing: 12pcs/ctn Carton Size: 585*423*584mm

Body Color





MODEL: V-7001

SVAVO

Napkin Tissue Holder

Unit Size: L130*W135*H120mm Packing: 36pcs/ctn Carton Size: 438*438*552mm

Body Color





Black

MODEL: VX785

Jumbo Roll Tissue Dipsenser

Unit Size: L276*W125*H286mm Packing: 12pcs/ctn Carton Size: 576*409*615mm

Body Color





MODEL: V-6003

Napkin Tissue Holder



Unit Size: L114*W114*H78mm Packing: 80pcs/ctn Carton Size: 500*500*450mm

41



Toilet Paper Holder

MODEL: V-6002W Napkin Tissue Holder



Unit Size: L163*W129*H93mm Packing: 60pcs/ctn Carton Size: 680*516*412mm MODEL: V-6701W



Unit Size: L165*W98*H85mm Packing: 48pcs/ctn Carton Size: 528*380*440mm

MODEL: V-6001


Napkin Tissue Holder With Toothpicks Box



Unit Size: L114*W98*H154mm Packing: 60pcs/ctn Carton Size: 625*432*500mm MODEL: V-9001

SVAVO

Unit Size: L250*W130*H60mm Packing: 36pcs/ctn Carton Size: 447*445*544mm







Napkin Tissue Holder

MODEL: V-6803

Toilet Paper Holder



Unit Size: L165*W110*H90mm Packing: 48pcs/ctn Carton Size: 528*492*420mm MODEL: V-8001

SVAVO

Unit Size: L255*W130*H90mm Packing: 24pcs/ctn Carton Size: 541*404*425mm







Black

Napkin Tissue Holder





MODEL: V-SZ250

1/2 Toilet Seat Pad Papers



Unit Size: 360*430mm Qty: 250 sheets/box Packing: 25pcs/ctn Carton Size: 390*270*360mm

MODEL: V-SZ200

1/4 Toilet Seat Pad Papers



Unit Size: 360*430mm Qty: 200 sheets/box Packing: 25pcs/ctn Carton Size: 420*275*390mm

Hand Paper



Unit Size: L140*W195mm Qty: 200 sheets/pack Carton Size: 620*410*230mm

SYAVO

Unit Size: L412*W56*H292mm Packing: 20pcs/ctn Carton Size: 655*435*620mm

MODEL: V-SC200

Hand Paper



Unit Size: L230*W75mm Qty: 200 sheets/box Packing: 20pcs/ctn Carton Size: 620*410*230mm

MODEL: V-SD800C

Jumbo Roll Tissue




Unit Size: R240*W95mm Qty: 230m/roll Packing: 12pcs/ctn Carton Size: 470*470*305mm

MODEL: VX780

Toilet Seat Pad Paper Holder



Unit Size: L232*W56*H302mm Packing: 24pcs/ctn Carton Size: 500*390*640mm





With Tray

MODEL: VX285



Unit Size: L145*W130*H250mm

Power: 1000W

Working Voltage: AC220-240V,50Hz/60Hz

Working Current: 4.8A Standby Current: <18mA Sensing Distance: 0-12cm Air Speed: 35±2m/sec Packing: 6pcs/ctn

Carton Size: 600*380*320mm

Body Color



White & Brushed Chrome

White&Grey

Brushed Chrome

MODEL: V-184



Unit Size: L250*W168*H242mm

Power: 1350W

Working Voltage: AC220-240V ,50Hz/60Hz

Working Current: 4.54A Sensing Distance: 0-12cm Air Speed: 30m/sec Packing: 4pcs/ctn

Carton Size: 595*305*460mm

Body Color



White

.

MODEL: VX280



Unit Size: L145*W130*H250mm

Power: 1000W

Working Voltage: AC220-240V,50Hz/60Hz


Working Current: 4.6A
Standby Current: ≤18mA
Sensing Distance: 0-12cm
Air Speed: 5 ± 2m/sec
Packing: 8pcs/ctn

Carton Size: 615*339*317mm

Body Color



MODEL: V-184S



Working Voltage: AC220-240V ,50Hz/60Hz Working Current: 4.54A Sensing Distance: 0-12cm Air Speed: 30m/sec Packing: 2pcs/ctn

Carton Size: 555*305*455mm



White



Silver





Environmental Materials



Strong Power



Overheating Protection





With Tray

MODEL: V-183



Unit Size: L250*W168*H242mm

Power: 1350W

Working Voltage: AC220-240V,50Hz/60Hz

Working Current: 5.7A Sensing Distance: 0-12cm Air Speed: 30m/sec

Carton Size: 595*305*460mm

Body Color

Packing: 4pcs/ctn





MODEL: V-188



Unit Size: L250*W168*H242mm

Power: 1350W

Working Voltage: AC220-240V,50Hz/60Hz

Working Current: 6A Air Speed: 30m/sec Packing: 4pcs/ctn

Carton Size: 595*305*455mm

MODEL: V-183S With Tray



Multiple filtering

Unit Size: L250*W168*H468mm

Power: 1350W

Working Voltage: AC220-240V ,50Hz/60Hz Working Current: 5.7A Sensing Distance: 0-12cm Air Speed: 30m/sec Packing: 2pcs/ctn

Carton Size: 555*305*455mm

Body Color











Overheating Protection

MODEL: V-188S

Unit Size: L250*W168*H468mm

Power: 1350W

Working Voltage: AC220-240V,50Hz/60Hz

Working Current: 6A Air Speed: 30m/sec Packing: 2pcs/ctn

Carton Size: 555*305*455mm



Environmental Materials



Strong Power



Overheating Protection

MODEL: V-182



Unit Size: L250*W168*H242mm

Power: 1350W

Working Voltage: AC220-240V,50Hz/60Hz
Working Current: 5.7A
tandby Current: <6mA
Sensing Distance: 0-12cm
Air Speed: 30m/sec Packing: 4pcs/ctn Carton Size: 595*305*460mm

Body Color





MODEL: V-182S

With Tray



Unit Size: L250*W168*H468mm Power: 1350W

Working Voltage: AC220-240V,50Hz/60Hz
Working Current: 5.7A
tandby Current: <6mA
Sensing Distance: 0-12cm
Air Speed: 30m/sec

Packing: 2pcs/ctn Carton Size: 555*305*455mm

Body Color





Silver



Environmental Materials



Strong Power



Overheating Protection



Hair Dryers







Unit Size: L170*W230*H87mm Power: 1300W

Working Voltage: AC220-240V ,50Hz/60Hz Working Current: 5.5A

Air Speed: 10-12m/s Packing: 12pcs/ctn

Carton Size: 535*365*303mm








MODEL: V-175A

MODEL: V-175B

MODEL: V-175C





Hair Cuticle Without Ion Conditioning



Hair Cuticle With Ion Conditioning



LCD Display

Anion Penetration

Technology

Easy To



Design

Operation



Classic And Fashion

Environmental Materials

MODEL: V-171-1



Unit Size: L217*W172*H97mm Power: 1300W Working Voltage: AC220-240V,50Hz/60Hz Working Current: 5.5A Air Speed: 10-12m/s Packing: 12pcs/ctn Carton Size: 455*355*318mm

MODEL: V-173



Unit Size: L170*W190*H110mm Power: 1300W Working Voltage: AC220-240V ,50Hz/60Hz Working Current: 5.5A Air Speed: 10-12m/s Packing: 12pcs/ctn

Carton Size: 475*365*318mm

MODEL: V-173-A

With Socket



Unit Size: L170*W190*H110mm Power: 1300W Working Voltage: AC220-240V ,50Hz/60Hz Working Current: 5.5A Air Speed: 10-12m/s Packing: 12pcs/ctn Carton Size: 475*365*318mm



Operation







Classic And Fashion





Sensor Faucets



1. Precise Foaming Nozzle

Adopting foaming nozzle of international brand, the water flow is round and concentrated, silent and no splash, gently caring for your hands

2.Lead-free Water Pipe

Stainless steel explosion-proof net is added to PC inner tube, lead-free, copper oxide-free, safe to use

3.Anti-interference Infrared Sensing

Advanced infrared sensing device, anti-glare interference design, sensitive, accurate and durable

4. Multilayer Plating Process

AAs the metal shell of the product, it plays the dual role of protection and smoothness. The pure alloy plating surface ensures the long-term stability of quality

5. Waterproof Battery Case

Built-in 4pcs AA batteries, long using time, easy to replace

6. Imported Solenoid Valve

High-quality four-magnetic solenoid valve with operating voltage as low as 3.7V, low power consumption and stable performance



AUTO

Advanced infrared inductive faucet, the water flow is concentrated and soft; The healthy lead-free process, all-copper casting, high-quality materials to provide a healthy and environmentally friendly water environment, and become the trusted choice for public toilets and families.

AUTO Automatic Sensing Technology

Automatic Sensing Technology

Unique remote control, automatic induction, low-power shut-off valve series of automatic sensing technology

Intelligent Control

Equipped with a remote control, you can remotely flush the water as you like, choose a variety of water, the time of the water, as well as the length of the sensing distance




Simple Design of Intelligent Sensor Port



Intelligent Control Remote

Automatically senses water, automatically waters when the user's hand is in the sensing range, the user's hand leaves the use range to automatically close the valve to stop the water





Automatically Stop the Water

58

MODEL: V-AF5014



Unit Size: L38*W156*H159mm Working Hydraulic Pressure: 0.1MPa-0.8MPa Working Voltage: DC6V Material: Alloy+ABS Sensing Distance: 10cm Unit Weight: 1287g

Power Supply: 4 "AA" batteries Packing: 12pcs/ctn Carton Size: 545*500*250mm

Body Color



MODEL: V-AF5013



Unit Size: L45.5*W166*H153mm Working Hydraulic Pressure: 0.1MPa-0.8MPa Working Voltage: DC6V Material: Alloy+ABS Sensing Distance: 10cm Unit Weight: 1365g Power Supply: 4 "AA" batteries Packing: 12pcs/ctn

Body Color

Carton Size: 545*500*250mm



MODEL: V-AF5011



Unit Size: L45*W127*H150mm Working Hydraulic Pressure: 0.1MPa-0.8MPa Working Voltage: DC6V Material: Alloy+ABS Sensing Distance: 10cm Unit Weight: 1185g Power Supply: 4 "AA" batteries Packing: 12pcs/ctn Carton Size: 545*500*250mm

Body Color



MODEL: V-AF5012



Unit Size: L45*W129*H160mm Working Hydraulic Pressure: 0.1MPa-0.8MPa Working Voltage: DC6V

Material: Alloy+ABS Sensing Distance: 10cm Unit Weight: 1287g Power Supply: 4 "AA" batteries Packing: 12pcs/ctn

Carton Size: 545*500*250mm

Body Color





White




Chrome

Chrome & Black

& Grey

MODEL: V-AF5010



Unit Size: L54*W144*H150mm Working Hydraulic Pressure: 0.1MPa-0.8MPa Working Voltage: DC6V Material: Alloy+ABS Sensing Distance: 10cm Unit Weight: 1223g Power Supply: 4 "AA" batteries

Packing: 12pcs/ctn Carton Size: 545*500*250mm

Body Color







Chrome



Chrome & Grey

MODEL: V-SEN4010



Unit Size: L63*W122*H113mm Working Hydraulic Pressure: 0.1MPa-0.8MPa Working Voltage: DC6V Material: ABS+PC+Copper Sensing Distance: 10cm Unit Weight: 393g Power Supply: 4 "AA" batteries Packing: 30pcs/ctn Carton Size: 610*267*230mm





Chrome



Limitation Stainless

PRECISION FLUSHING STRUCTURE
















Environmental Materials





SENSOR TOILET FLUSHERS







Installation Structure Diagram



4 X "AA" Alkaline Batteries



Firm And Anti-corrosion




Firm And Anti-corrosion



Precise Plastic Steel Solenoid Valve



Mounting Hardware



Graphical Representation Installation

MODEL: V-BF8013



Unit Size: L63*W110*H270mm Packing: 30pcs/ctn Power Supply: 4 "AA" batteries Carton Size: 770*585*230mm

Body Color







MODEL: V-CF9035



Unit Size: L82*W98*H182mm Packing: 12pcs/ctn Power Supply: 4 "AA" batteries Carton Size: 545*500*250mm

Body Color





MODEL: V-BF8025



Unit Size: L140*W140*H20mm Packing: 12pcs/ctn Power Supply: 4 "AA" batteries Carton Size: 543*490*298mm

Body Color








Brushed Chrome

MODEL: V-CF9025



Unit Size: L190*W165*H20mm Packing: 12pcs/ctn Power Supply: 4 "AA" batteries Carton Size: 612*446*352mm

Body Color







White

White

Brushed Chrome

MODEL: V-BF8026



Unit Size: L140*W140*H14.5mm Packing: 12pcs/ctn

Power Supply: 4 "AA" batteries Carton Size: 543*490*298mm

Body Color



MODEL: V-CF9026



Unit Size: L140*W140*H14.5mm Packing: 12pcs/ctn

Power Supply: 4 "AA" batteries Carton Size: 612*446*352mm





Chrome

Brushed Chrome

MODEL: V-CF9024



Unit Size: L140*W140*H14.5mm Packing: 12pcs/ctn Power Supply: 4 "AA" batteries Carton Size: 612*446*352mm

Body Color







Brushed Chrome

MODEL: V-CF9023



Unit Size: L140*W140*H20mm Packing: 12pcs/ctn Power Supply: 4 "AA" batteries Carton Size: 612*446*352mm










Chrome

Brushed Chrome









MODEL: V-H600U-W

Basin Grab Bar

Unit Size: 60*60*18cm Material: 304 Stainless Steel - ABS Packing: 5pcs/ctn Carton Size: 660*525*205mm













I Shape Grab Bar





MODEL: V-H800US-W

Basin Grab Bar with Support Leg



Unit Size: 60*60*80cm Material: 304 Stainless Steel - ABS Packing: 5pcs/ctn Carton Size: 675*550*265mm





















L Shape Grab Bar

MODEL: V-H600U Urinal Grab Bar

60cm

Unit Size: 60*60*28cm Material: 304 Stainless Steel - ABS

Packing: 5pcs/ctn


Carton Size: 645*525*230mm

Body Color

Yellow White



135 Degree Grab Bar



MODEL: V-H300LC

Unit Size: 30*30cm

Material: 304 Stainless Steel - ABS

Packing: 10pcs/ctn

Carton Size: 660*525*355mm

MODEL: V-H450LC

Unit Size: 45*45cm

Material: 304 Stainless Steel - ABS

Packing: 10pcs/ctn

Carton Size: 920*525*465mm


Body Color

Yellow White



MODEL: V-H600US

Urianl Grab Bar with Support Leg



Unit Size: 60*60*100cm Material: 304 Stainless Steel - ABS

Packing: 5pcs/ctn

Carton Size: 740*550*265mm

















MODEL: V-H600L

Unit Size: 60*40cm

Material: 304 Stainless Steel - ABS

Packing: 10pcs/ctn

Carton Size: 660*525*245mm

MODEL: V-H700L Unit Size: 70*50cm


Material: 304 Stainless Steel - ABS

Packing: 10pcs/ctn Carton Size: 740*525*245mm

Body Color









Bilateral Anti-skid Particles






MODEL: V-H600F Toilet Grab Bar

Unit Size: 60*18cm Material: 304 Stainless Steel - ABS Packing: 5pcs/ctn

Carton Size: 640*425*205mm

Body Color







MODEL: V-H600F-R

Toilet Grab Bar with Support Leg


Unit Size: 60*15cm

Material: 304 Stainless Steel - ABS

Packing: 5pcs/ctn

Carton Size: 675*630*225mm

Body Color







MODEL: V-H600FS

70cm

Unit Size: 60*70cm Material: 304 Stainless Steel - ABS Packing: 5pcs/ctn







Toilet Grab Bar with Support Leg

Carton Size: 640*425*205mm

Body Color







- 1. Non-toxic fluorescent ring acts as hint in the darkness, to ensure in-time assist when in emergency situations.
- 2. Durable and reliable ABS material fits for human touch with comfort.

















MODEL: V-H600FS-R

Toilet Grab Bar with Support Leg

Unit Size: 60*70cm

Material: 304 Stainless Steel - ABS

Packing: 5pcs/ctn

Carton Size: 675*630*225mm

Body Color











- 1. Foldable design grab bar provides excellent impact resistance and long lasting performance and also space saving.
- 2. Durable and reliable ABS material fits for human touch with comfort.

70cm














MODEL: V-ZD420

Safety Shower Seat



Unit Size: 35*42cm Material: 304 Stainless Steel - ABS Packing: 5pcs/ctn Carton Size: 485*425*395mm

Body Color







MODEL: V-ZD420S

35cm 42cm

Safety Shower Seat with Support Leg





























